


**AL-SHARQ FACTORIES / QUALITY ASSURANCE DEPARTMENT  
CERTIFICATE OF ANALYSIS**


Customer Name		<b>APPC Procurement</b>	
Product Description	<b>Shrink Film</b>	Logo	<b>Plain</b>
Shipment Date	22/July/2011	Batch No.	6519720-1
Shipment Quantity	<b>14,270 Kgs.</b>	P.O. No.	
TEST	DESCRIPTION	UNIT	AVERAGE VALUE
1	FILM THICKNESS (AVERAGE)	MICRON	140.5
2	WIDTH	MM	1400
3	GUSSET WIDTH	MM	600
4	ULTIMATE TENSILE STRENGTH	MD	N/mm <sup>2</sup>
5		TD	N/mm <sup>2</sup>
6	ULTIMATE ELONGATION	MD	%
7		TD	%
13	SHRINK VALUE	MD	%
14		TD	%
15	SHRINKAGE TIME	SEC	30
16	SHRINKAGE TEMPERATURE	DEG.C	140
<b>REMARKS:</b>			
Machine # 033 - Pallet # 01 - 18 / Roll # 01 - 18			
PREPARED BY :		APPROVED BY:	
<i>Manuel A. Nonay</i>		<i>Ali Awad Nasser</i>	
<b>Lab. Technician</b>		<b>QAD Manager</b>	
DATE:	22/July/2011	DATE:	22/July/2011


**AL-SHARQ FACTORIES / QUALITY ASSURANCE DEPARTMENT  
CERTIFICATE OF ANALYSIS**


Customer Name		<b>APPC Procurement</b>	
Product Description	<b>Shrink Film</b>	Logo	<b>Plain</b>
Shipment Date	25/July/2011	Batch No.	6519720-1
Shipment Quantity	<b>15,200 Kgs.</b>	P.O. No.	
TEST	DESCRIPTION	UNIT	AVERAGE VALUE
1	FILM THICKNESS (AVERAGE)	MICRON	140.3
2	WIDTH	MM	1400
3	GUSSET WIDTH	MM	600
4	ULTIMATE TENSILE STRENGTH	MD	N/mm <sup>2</sup>
5		TD	N/mm <sup>2</sup>
6	ULTIMATE ELONGATION	MD	%
7		TD	%
13	SHRINK VALUE	MD	%
14		TD	%
15	SHRINKAGE TIME	SEC	30
16	SHRINKAGE TEMPERATURE	DEG.C	140
<b>REMARKS:</b>			
Machine # 033 - Pallet # 20 - 38 / Roll # 20 - 38			
PREPARED BY :		APPROVED BY:	
<i>Manuel A. Nonay</i>		<i>Ali Awad Nasser</i>	
<b>Lab. Technician</b>		<b>QAD Manager</b>	
DATE:	<b>25/July/2011</b>	DATE:	<b>25/July/2011</b>


**AL-SHARQ FACTORIES / QUALITY ASSURANCE DEPARTMENT  
CERTIFICATE OF ANALYSIS**


Customer Name		<b>APPC Procurement</b>	
Product Description	<b>Shrink Film</b>	Logo	<b>Plain</b>
Shipment Date	30/July/2011	Batch No.	6519720-1
Shipment Quantity	<b>15,200 Kgs.</b>	P.O. No.	
TEST	DESCRIPTION	UNIT	AVERAGE VALUE
1	FILM THICKNESS (AVERAGE)	MICRON	140.4
2	WIDTH	MM	1400
3	GUSSET WIDTH	MM	600
4	ULTIMATE TENSILE STRENGTH	MD	N/mm <sup>2</sup>
5		TD	N/mm <sup>2</sup>
6	ULTIMATE ELONGATION	MD	%
7		TD	%
13	SHRINK VALUE	MD	%
14		TD	%
15	SHRINKAGE TIME	SEC	30
16	SHRINKAGE TEMPERATURE	DEG.C	140
<b>REMARKS:</b>			
Machine # 033 - Pallet # 39 - 57 / Roll # 39 - 57			
PREPARED BY :		APPROVED BY:	
<i>Manuel A. Nonay</i>		<i>Ali Awad Nasser</i>	
<b>Lab. Technician</b>		<b>QAD Manager</b>	
DATE:	<b>30/July/2011</b>	DATE:	<b>30/July/2011</b>


**AL-SHARQ FACTORIES / QUALITY ASSURANCE DEPARTMENT  
CERTIFICATE OF ANALYSIS**


Customer Name			
Product Description	<b>LD Pln Greenhouse Roll (OSO) W/ 7%UV</b>		Logo Plain
Shipment Date	Batch No.		
Shipment Quantity	P.O. No.		
TEST	DESCRIPTION	UNIT	AVERAGE VALUE
1	FILM THICKNESS (AVERAGE)	MICRON	200.0
2	WIDTH	MM	1750
3	GUSSET WIDTH	MM	500
4	ULTIMATE TENSILE STRENGTH	MD	N/mm <sup>2</sup>
5		TD	N/mm <sup>2</sup>
6	ULTIMATE ELONGATION	MD	%
7		TD	%
13	Tear Resistance	MD	Grams
14		TD	Grams
<b>REMARKS:</b>			
PREPARED BY :		APPROVED BY:	
<i>Manuel A. Nonay</i>		<i>Ali Awad Nasser</i>	
<b>Lab. Technician</b>		<b>QAD Manager</b>	
DATE:		DATE:	